


THINK ABOUT LIFE
TASTE VANA

CONTENTS



29 ^{WINDOW}




01 ^{AWNING}



37 ^{GARDEN}



16 ^{SCREEN & WINDOW}



49 ^{COVER THE CANOPY}



25 ^{TENT}




53 ^{PATIO COVER}

CLASSIC MANUAL AWNING

SP1101

Fabric: 280g/m² polyester
 Steel torsion bar: 35x35 mm
 Alu roller: dia.60 mm
 Alu front bar type A: 46x30 mm
 Alu arm type A: 51x27/45x23 mm
 Steel hand crank: 160cm





Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	18	16	14	16	490	1014	1152
250x200	1	252	18	16	15.5	17.5	364	750	895
295x250	1	297	18	16	18	20.5	195	740	830
350x200	1	352	18	16	20	22.5	195	558	645
350x250	1	352	18	16	22	24.5	195	558	645
350x250	1	352	18	16	25	27.5	195	558	645
395x300	1	397	18	16	23	26	195	558	645
395x300	1	397	18	16	26	29	195	558	645



CLASSIC MANUAL AWNING

SP1105

Fabric: 280g/m² polyester PU coating
 Steel square tube: 35x35 mm
 Alu roller: dia.70 mm
 Alu front bar type B: 51x39 mm
 Alu arms type B: 58x29/50x25mm
 Manual steel crank: 160cm





Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	21.5	16.5	16	18	388	811	927
250x200	1	252	21.5	16.5	18.3	20.8	284	568	652
295x200	1	297	21.5	16.5	19.5	22	142	568	652
295x250	1	297	21.5	16.5	21	23.5	142	568	652
395x250	1	397	21.5	16.5	25.5	28.5	142	426	489
395x300	1	397	21.5	16.5	28	31	142	426	489
500x300	1	497	21.5	16.5	31.5	35	142	284	326
550x300	1	552	21.5	16.5	34	38	142	284	326
595x300	1	597	21.5	16.5	35.5	40	/	284	326

KD AWNING

SP1111

Fabric: 280g/m² polyester
 Steel torsion bar: 35x35 mm
 Alu roller: dia.60 mm
 Alu front bar type F: 44.5x46.6x38.7 mm
 Alu arm type C: 58x29/47x21 mm
 Steel hand crank: 160cm



CLASSIC AWNING

SP1113

Fabric: 280g/m² polyester coating
 Steel square tube: 35x35 mm
 Alu roller: dia.60 mm
 Alu front bar type D: 53x45.5 mm
 Alu arms type B: 58x29/50x25mm
 Manual steel crank: 160cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	103	36	14	14.5	16	480	1056	1188
250x200	1	130	36	14	16	17.5	384	864	972
295x200	1	153	36	14	17	18.5	320	720	810
295x250	1	153	36	14	18.5	20.5	320	720	810
350x200	1	180	36	14	20.5	22.5	288	608	684
350x250	1	180	36	14	22.5	24.5	288	608	684
395x2.5	1	203	36	14	23.5	26	256	544	612
395x3	1	203	36	14	25.5	28	256	544	612



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	18	16	14	16	490	1014	1152
250x200	1	252	18	16	15.5	17.5	364	750	895
295x200	1	297	18	16	16.5	18.5	195	740	830
350x200	1	352	18	16	20	22.5	195	558	645
350x250	1	352	18	16	22	24.5	195	558	645
350x300	1	362	18	16	25	27.5	195	558	645
395x250	1	397	18	16	23	26	195	558	645
395x300	1	397	18	16	25	28	195	558	645

AWNING WITH PITCH ADJUST

SP1120

Fabric: 280g/m² polyester
 Steel square tube: 35x35 mm
 Alu roller: dia.70 mm
 Alu front bar type B: 51x39 mm
 Alu arms type B: 58x29/50x25 mm
 Manual steel crank: 160cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	21.5	16.5	17	19	388	811	927
250x200	1	252	21.5	16.5	19.5	22	284	568	652
295x200	1	297	21.5	16.5	21	23.5	142	568	652
295x250	1	297	21.5	16.5	22	24.5	142	568	652
395x250	1	397	21.5	16.5	26.5	29.5	142	426	489
395x300	1	397	21.5	16.5	29	32	142	426	489



SEMI-CASSETTE AWNING

SPI201

Fabric: 280g/m² polyester PU coating
 Alu rain plate: W145xH56 mm
 Steel square tube: 40x40mm
 Alu roller: dia.70 mm
 Alu front bar type D: 53X45.5mm
 Alu arms type B: 58x29/50x25mm
 Manual steel crank: 160cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	22	17.5	18	20	351	780	900
250x200	1	252	22	17.5	22	23.5	260	52	600
295x200	1	297	22	17.5	25	27	130	520	600
295x250	1	297	22	17.5	27	29	130	520	600
395x300	1	397	22	17.5	34	37	130	390	450
500x300	1	497	22	17.5	38.5	41.5	130	260	300
595x300	1	597	22	17.5	43	47	/	260	300



SEMI-CASSETTE AWNING

SPI207

Fabric: 280g/m² polyester PU coating
 Alu cover: 110x108 mm
 Alu roller: dia.70 mm
 Alu front bar: 65x49 mm
 Alu arms type B: 58x29/50x25 mm
 Manual steel crank: 160 cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	198	21	20	18.5	19.5	310	684	792
250x200	1	253	21	20	23	23.5	228	456	528
295x200	1	298	21	20	24.5	16	114	456	528
295x250	1	298	21	20	26.5	28	114	456	528
350x250	1	353	21	20	28.5	30.5	114	342	396
350x300	1	353	21	20	30	32	114	342	396
395x300	1	398	21	20	32	34.5	114	342	396
550x300	1	553	21	20	36	39	114	228	264
595x300	1	598	21	20	38	41	/	228	264

SEMI-CASSETTE AWNING

SP1208



Fabric: 280g/m² polyester PU coating
 Alu rain plate: W183xH47mm
 Steel square tube: 35x35mm
 Alu roller: dia.70 mm
 Alu front bar type B: 51x39 mm
 Alu arm type B: 58x29/50x25 mm
 Manual steel crank: 160 cm



SEMI-CASSETTE AWNING

SP1218

Fabric: 280g/m² polyester PU coating
 Alu rain plate: W125xH88 mm
 Steel square tube: 40x40 mm
 Alu roller: dia.70 mm
 Alu front bar type D: 53X45.5 mm
 Alu arms type B: 58x29/50x25 mm
 Manual steel crank: 160cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	198	21	20	16.5	17.5	297	660	720
250x200	1	253	21	20	25	26.5	220	440	480
295x200	1	298	21	20	27	28.5	110	440	480
295x250	1	298	21	20	29	31	110	440	480
350x250	1	353	21	20	30	32	110	330	360
350x300	1	353	21	20	31.5	33.5	110	330	360
395x300	1	398	21	20	33.5	36	110	330	360
450x300	1	453	21	20	35	37.5	110	220	240
500x300	1	503	21	20	35	37.5	110	220	240
550x300	1	553	21	20	35	37.5	110	220	240
595x300	1	598	21	20	35	37.5	110	220	240


Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	20	17	18	20	390	858	1990
250x200	1	252	20	17	22	23.5	286	572	660
295x200	1	297	20	17	25	27	286	572	660
295x250	1	297	20	17	27	29	286	572	660
350x250	1	352	20	17	30	32.5	143	429	495
350x300	1	352	20	17	32	34.5	143	429	495
395x250	1	397	20	17	30	32.5	143	429	495
395x300	1	397	20	17	34	37	143	429	495
500x300	1	497	20	17	38.5	41.5	143	286	330
595x300	1	597	20	17	43	47	143	286	330

SEMI-CASSETTE AWNING

Patent: DE 20 2013 103 994 U1

SP1218V

Fabric: 280g/m² polyester
 Steel torsion bar: 40x40mm
 Alu roller: dia.70 mm
 V-wing valance cassette: 97x73mm
 Alu arms type B: 58x29/50x25mm
 Manual steel crank: 160cm
 Adjustable length 100cm and pitch valance





Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	24	22	21	23	240	540	594
250x200	1	252	24	22	26	27.5	180	360	396
295x200	1	297	24	22	31	34	180	360	396
295x250	1	297	24	22	33	36	180	360	396
395x250	1	397	24	22	37	31	90	270	297
395x300	1	397	24	22	48.0	52.0	90	270	360
500x300	1	497	24	22	47	51	90	180	198



FULL CASSETTE AWNING

SP1304

Fabric: 280g/m² polyester
 Alu support hood: 161x58.5 mm
 Alu top hood: 170x86.8 mm
 Alu roller: dia.80 mm
 Alu front bar: 120x65 mm
 Alu arms: 58x29/50x27 mm
 With motor and remote control



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	217	27	21	36.3	39.7	200	430	516
250x200	1	272	27	21	41	44	160	320	384
295x200	1	317	27	21	44.5	47.5	80	240	288
295x250	1	317	27	21	47	50	80	240	288
395x300	1	423	27	21	56.5	60	80	160	192
450x300	1	478	27	21	60	63.5	80	160	192
500x300	1	523	27	21	64	67.5	80	160	192
550x300	1	596	27	21	72	76.5	\	160	192
595x300	1	641	27	21	76	81	\	80	96



FULL CASSETTE AWNING

SP1312

Alu roller: dia.70mm(Length>4m, dia.80mm) T1.4mm,
 Alu front bar: 146.5x55mm
 Alu cover: 158x88 mm,
 Alu arm: 58x29/50x25mm T2.2mm,
 With motor and remote control



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	199	28	22	23	24.5	220	480	576
250x200	1	254	24	20	26	27.5	160	320	384
295x200	1	299	24	20	27.5	29	160	320	384
295x250	1	299	24	20	29	31.5	160	320	384
350x250	1	254	24	20	34	36	80	240	288
350x300	1	254	24	20	35.5	37.5	80	240	288
395x300	1	399	24	20	41	43	80	240	288
500x300	1	504	24	20	48	51	80	180	192

FULL CASSETTE AWNING

SP1319

Fabric: 280g/m² polyester
 Alu support hood: 131.5x128 mm
 Alu top hood: 224x51.5 mm
 Alu roller: dia.80 mm
 Alu front bar: 124x109 mm
 Alu arms: 70x31/64x28 mm
 With motor and remote control



- ANTUV
- PRACTICE SIMPLE
- WATER PROOF
- MOTOR REMOTE



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	199	27	21	37	39	220	480	576
250x200	1	254	27	21	42	44	160	320	384
295x200	1	299	27	21	46	48	80	320	384
295x250	1	299	27	21	50	52.5	80	320	384
350x300	1	354	27	21	55	57.5	80	240	288
395x300	1	399	27	21	60	63	80	240	288
450x300	1	454	27	21	65	63	80	160	192
495x300	1	499	27	21	70	73	80	160	192
550x300	1	554	27	21	75	78.5	80	160	192
595x300	1	599	27	21	84	87.5	160	160	192



SIDE AWNING

SP2016

Fabric: 280g/m² polyester
 Alu roller: dia.50 mm
 Plastic end cover
 Alu cover: 106x95 mm
 Alu front bar: 35x18 mm
 Removable alu standing pole: 58x35 mm
 Including spare parts for fixing on wall,
 For attaching the standing pole,
 And self-luminate cover for base.





Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
H170xL300	1	176	19	13.5	9.8	10.8	673	1374	1550
1.6x3M	1	166	19	13.5	9.1	10	650	1500	1700
1.5x3M	1	156	19	13.5	8.7	9.5	742	1580	1776
1.4x3M	1	146	19	13.5	8.3	9	840	1704	1924
1.3x3M	1	136	19	13.5	7.8	8.5	878	1784	2012
1.2x3M	1	126	19	13.5	7.2	8	922	1968	2216
1.1x3M	1	116	19	13.5	6.7	7.5	1706	2208	2488
1.0x3M	1	106	19	13.5	6.3	6.8	1151	2373	2675
1.8x3M	1	186	19	13.5	10.5	11.5	570	1170	1350



WAYS SIDE AWNING

SP2018

Fabric: 280g/m² Polyester
 Alu roller: dia.50 mm
 Plastic end cover: 214x118x2 5mm
 Alu cassette: 185.5x66mm x2pcs
 Removable alu standing pole: 58x35 mm
 Including 1 set spare parts for fixing on wall,
 And self-luminate cover for base.




Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
140x300	1	144	28	18	15.5	17	336	780	910
160x300	1	164	28	18	16.5	18.3	312	672	784
170x300	1	174	28	18	17.00	19.00	288	636	742
180x300	1	184	28	18	17.50	19.50	288	612	714

DOUBLE USE SIDE SHADE

SP2011

Fabric: 200g/m² polyester
 Alu roller: Φ40 mm
 Alu cover: 100x81.2 mm
 Alu front bar: 37.5x35.5 mm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x200	1	121	12	10.5	5.55	5	1638	3570	4080
140x200	1	141	12	10.5	6.14	5.5	1512	3108	3552
150x200	1	151	12	10.5	6.48	5.8	1323	2856	3264
160x200	1	161	12	10.5	6.92	6.2	1260	2751	3144
180x200	1	181	12	10.5	7.3	6.5	1155	2436	2784



FREE-MOUNTED AWNING

SP2013

Fabric: 180g/m² polyester
 Alu fabric roller: Φ38 mm
 Front steel pole: Φ25 mm
 Support steel pole: Φ24/Φ28 mm
 Extend steel arms: Φ16 mm
 Extend arms length: 90cm/120cm/150cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x90	1	170	16	13	7	7.5	739	1575	1778
150x90	1	170	16	13	7.3	7.9	739	1575	1778
150x120	1	170	16	13	7.8	8.4	739	1575	1778
180x90	1	170	16	13	8.1	8.7	890	1960	1778
180x120	1	170	16	13	8.4	9	890	1960	1778
200x90	1	170	16	13	8.3	9.1	739	1575	1778
250x90	1	172	16	14	9.20	10.00	733	1495	1682
250x120	1	172	16	14	9.40	10.20	733	1495	1682
250x150	1	172	16	14	9.60	10.50	733	1495	1682
300x90	1	172	16	14	9.80	10.70	820	1670	1830
300x120	1	172	16	14	10.00	10.80	820	1670	1830
300x150	1	172	16	14	10.10	11.00	820	1670	1830

SEMI-CASSETTE AWNING

SP2014

Fabric: 200g/m² polyester
 Alu roller: Φ44 mm
 Alu cover: 105x62 mm
 Alu front bar: 50x37 mm
 Alu support arms: 26.5x24 mm
 Fabric length: 135cm





Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
100x70	1	104	12	14	3.1	3.7	1485	3159	3622
120x70	1	124	12	14	3.3	3.9	1191	2588	2960
130x70	1	134	12	14	3.5	4.2	1146	2367	2675
140x70	1	144	12	14	3.7	4.4	987	2277	2619
150x70	1	154	12	14	3.9	4.7	957	2074	2380
160x70	1	164	12	14	4.1	4.8	912	1998	2298
180x70	1	184	12	14	4.3	5.1	852	1764	1994
200x70	1	204	12	14	4.5	5.3	738	1590	1812

WINDOW AWNING

SP2019

Fabric: 200g/m² polyester Length 150cm
 Alu roller: Φ38mm
 Alu front bar: Φ25mm
 Alu support arms: 39x19xL700mm
 With gear box and manual crank




Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
100x70	1	103	15	12	3	3.5	1404	2970	3300
120x70	1	123	15	12	3.1	3.5	1080	2358	2620
130x70	1	133	15	12	3.2	3.6	1060	2196	2440
140x70	1	143	15	12	3.4	3.8	900	2052	2280
150x70	1	153	15	12	3.5	4	900	1962	2810
160x70	1	163	15	12	3.6	4.1	846	1836	2040
180x70	1	183	15	12	3.9	4.5	792	1656	1840
200x70	1	203	15	12	4.2	4.8	684	1458	1620



FRENCH WINDOW AWNING

SP2001

Fabric: 280g/m² polyester
 Steel U frame: 30x20 mm
 Retractable system



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x80	1	122	82	10	8.0	9.5	230	500	615
120x120	1	122	122	10	10.0	12.0	135	295	410
180x80	1	182	82	10	9.0	11.0	162	331	420
180x120	1	182	122	10	11.5	12.5	96	199	278
200x150	1	202	152	10	13.0	15.0	76	164	185
250x150	1	252	152	10	15.0	17.0	56	112	144



BALCONY CURTAIN AWNING

SP2022

Fabric: 220g/m² polyester
 Steel support tube: 20x20mm
 Steel bracket: 3mm thickness
 Zinc coating screws



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x120	1	122	17	13.5	4.4	5.3	873	1889	2148
140x140	1	142	17	13.5	4.6	5.5	834	1714	1956
160x160	1	162	17	13.5	5.1	6.2	702	1514	1724



FOLDABLE GAZEBO

SP3013

Alu square pole: 25x25/30x30 mm
 Steel topribs: ovaltube 10x18 mm
 Side wall: 2pcs295x190 cm,
 1 with PVC window 120x81 cm
 Carry bag: 250g/m2Ox
 Fordpolyester with PE window 18x23 cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
295*295*190	1	119	23	23	11.5	13	430	1000	1100

SAIL TENT

SP3016

Triangle fabric cover: 100% polyester 160g/m²,
 Steel tube Ø25mm,
 Each one with PE bag including a color label
 Square fabric cover: 100%
 Polyester 160g/m², steel tube Ø25mm,
 Each one with PE bag including a color label



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
2.5x2.5x2.5M	4pcs/ctn	99	24.5	16	3.5	4.5	2496	8736	9048
3.5x3.5x3.5M	4pcs/ctn	104	30.5	18.5	4.1	5.0	1672	5764	6812
4x4x4M	4pcs/ctn	104	30.5	18.5	4.5	5.5	1672	5764	6812
5x5x5M	4pcs/ctn	105	35	35	5.0	6.0	768	2592	3024
3x3M	4pcs/ctn	104	30.5	18.5	4.6	5.5	1672	5764	6812
4x4M	4pcs/ctn	104	30.5	18.5	5.7	6.7	1672	5764	6812
5x5M	4pcs/ctn	105	35	35	6.6	7.6	768	2592	3024



POLYESTER GAZEBO AWNING

SP3017

Overall size: H2.5M
 Steel tube: Φ24/Φ18/Φ18 mm
 Fabric: polyester top 160g/m² and corner panel 135g/m²



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
300x300	1	112	15	16.5	7.6	8.6	910	1820	2080
300x400	1	112	16	17	9.2	10.2	780	1632	1904
300x600	1	112	16	17	17.5	19	780	1632	1904
400x600	1	120	23	24	19.6	21	390	840	1008



WWW.VANACHINA.COM

WINDOW



BISTRRO BLIND

SP4024

Steel iron pipe: Ø38mm
 Steel support tube: 35x35mm
 With transparent PVC+ UV coating



WINDOW BLINDS

SP4029

Fabric: 200g/m² polyester
 Alu roller: Ø38 mm
 Alu cover: 100x81.2 mm
 Alu front bar: Ø38 mm
 Fabric length: 135cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
90 x240	1	95	18	11	3	3.6	1292	2736	3168
120x240	1	125	18	11	3.5	4.1	969	2090	2420
150x240	1	155	18	11	4	4.6	779	1691	1958
180x240	1	185	18	11	4.5	5.1	684	1425	1650
210x240	1	215	18	11	5	5.8	589	1235	1430
240x240	1	245	18	11	6.1	7.0	456	912	1056





Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
100x180	1	102	9	14	2.9	3.3	2105	4456	5098
120x180	1	122	9	14	3.1	3.5	1698	3679	4207
130x180	1	132	9	14	3.2	3.6	1629	3354	3840
140x180	1	122	9	14	3.4	4	1398	3200	3648
150x180	1	152	9	14	3.5	4.2	1350	2926	3340
160x180	1	162	9	14	3.7	4.5	1299	2805	3206
180x180	1	182	9	14	3.9	4.7	1203	2502	2856
200x180	1	202	9	14	4.1	5	1048	2247	2576

SHADECLOTH RETRACTABLE

SP4031

Fabric: 185g/m² PE Mesh, UV90%
 Alu roller: Φ38 mm
 Steel bottom rail: Φ32 mm
 Foldable brackets



BPOLYESTER/CANVAS ROLLUP

SP4032

Fabric: 280g/m² polyester, UV99%
 Alu top rail: 52.5x24.3 mm
 Steel bottom rail: Φ32 mm
 Brackets, plastic cords



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x210	1pc/PVC box 2PVC box/ctn	131	15	10	3.0	6.90	2436	5292	6048
150x210	1pc/PVC box 2PVC box/ctn	161	15	10	3.5	7.84	1974	4242	4848
180x210	1pc/PVC box 2PVC box/ctn	191	15	10	4.0	9.24	1638	3528	4032
210x210	1pc/PVC box 2PVC box/ctn	221	15	10	4.5	9.72	1470	3108	3552
240x210	1pc/PVC box 2PVC box/ctn	251	15	10	5.0	10.96	1176	2352	2688




Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x180	1pc/PVC box 2PVC box/ctn	130	16	10	5.4	6.00	2184	4914	5616
150x180	1pc/PVC box 2PVC box/ctn	160	16	10	5.8	6.50	1848	4032	4608
180x180	1pc/PVC box 2PVC box/ctn	190	16	10	6.1	7.70	1512	3360	3840
210x180	1pc/PVC box 2PVC box/ctn	220	16	10	6.6	8.70	1386	2898	3312
240x180	1pc/PVC box 2PVC box/ctn	250	16	10	7.7	9.90	1092	2184	2496

SHADECLOTH ROLL UP

SP4032A

Fabric: 185g/m² PE mesh, UV90%
 Alu top rail: 52.5x24.3 mm
 Steel bottom rail: Φ32 mm
 Brackets, plastic cords



PVC/SCREEN ROLLER

SP4033

Fabric: Textilene 750g/m², UV96%
 Alu roller: Φ38 mm
 Alu bottom rail: Φ21 mm
 Steel bracket: W50xL72
 Plastic cords



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x210	1pc/PVC box 2PVC box/ctn	131	15	10	3.0	6.90	2436	5292	6048
150x210	1pc/PVC box 2PVC box/ctn	161	15	10	3.5	7.84	1974	4242	4848
180x210	1pc/PVC box 2PVC box/ctn	191	15	10	4.0	9.24	1638	3528	4032
210x210	1pc/PVC box 2PVC box/ctn	221	15	10	4.5	9.72	1470	3108	3552
240x210	1pc/PVC box 2PVC box/ctn	251	15	10	5.0	10.96	1176	2352	2688



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
120x210	1pc/PVC box 2PVC box/ctn	133	15	9	3.5	7.40	2596	5616	6336
150x210	1pc/PVC box 2PVC box/ctn	163	15	9	4	8.92	2092	4484	5104
180x210	1pc/PVC box 2PVC box/ctn	193	15	9	4.5	10.54	1872	3812	4324
210x210	1pc/PVC box 2PVC box/ctn	223	15	9	5	11.74	1584	3300	3770
240x210	1pc/PVC box 2PVC box/ctn	253	15	9	5.6	13.40	1248	2496	2816



GARDEN



DOUBLE SLOPE

SP5001

Fabric: 280g/m² polyester
 Alu roller: 233x51 mm
 Alu roller: dia.70 mm
 Steel arm: Φ32 mm
 Steel front bar: Φ32 mm
 Steel standing pole: Φ57 mm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
395x300x250	1	398	27	24	44	47	74	222	252
295x300x250	1	398	27	24	41	44	74	296	336
395x400x250	1	398	27	24	49	53	74	222	252



DOUBLE SLOPE

SP5009

Fabric: 180g/m² polyester
 Alu roller: dia.60 mm
 Steel main support tube: Φ54 mm
 Front steel tube: Φ25 mm
 Steel side arms: 20x30 mm
 Manual steel crank 160 cm
 Steel base: L90/L60cm
 Height: 265 cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
295X300	1	298	20	16	27	29	142	568	656
395x300	1	398	20	16	32	35	142	426	492
395x400	1	398	20	16	32	35.5	142	426	492

DOUBLE SLOPE

SP5011

Fabric: 280g/m² polyester
 Steel square tube: 35x35 mm
 Alu roller: dia.70 mm
 Alu front bar type C: 44x35 mm
 Alu inboard arm type C: 58x29/47x21 mm
 Steel main column: 50x50 mm
 Manual steel crank: 160cm




Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
295x300	1	298	23	23	44	46	108	324	360
295x400	1	298	23	23	47	49	108	324	360
350x400	1	352	23	23	49	51	81	243	270
395x300	1	398	23	23	46	48	81	243	270
395x400	1	398	23	23	50	52.5	81	243	270



DOUBLE SLOPE

SP5020

Fabric: 280g/m² polyester
 Alu.cover: 233.5x49 mm
 Alu roller: Dia.70 mm
 Alu.front bar: 51.2x39.2 mm
 Alu inboard arm: 58x29 mm
 Alu outboard arm: 51x27 mm
 Main post: Φ70 mm
 Steel X base



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
295x300	1	298	27	28	52	55	64	256	288
295x400	1	298	27	28	58	62	64	256	288
350x400	1	352	27	28	62	66	64	192	216
395x300	1	398	27	28	60	65	64	192	216
395x400	1	398	27	28	64	68	64	192	216

DOUBLE SLOPE

Patent: DE 20 2013 103 994 U1

SP5019

Fabric: 280g/m² polyester
 Steel square tube: 40x40mm 81.5mm
 Alu roller: dia.70 mm
 V-wing valance cassette: 97x73mm
 Alu inboard arm type B: 58x29/50x25mm
 Steel main column: 80x40mm
 Manual steel crank: 140cm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
295x300	1	299	39	31	83	87	38	152	180
395x300	1	399	39	31	88	93	38	114	135



FOLDABLE

SP5015

Overall size: L385xW250xH210(Inner)
 Fabric: 220g/m² polyester
 Alu.square bar: 72.8x45 mm
 Alu.column: Φ68.5 mm
 Alu rib: Φ14.5 mm
 Steel X base



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
375x250	1	256	31.5	21	27	29.5	154	308	330



FOLDABLE

SP5027

Fabric: 220g/m² polyester
 Alu.square bar: 72.8x45mm 2pcs
 Alu.column: Φ68.5mm
 Alu rib: Φ14.5xδ0.8mm
 Steel X base



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
475x350	1	360	38	22	35	38	55	165	183

GRAPE TRELLISE

SP5022

Alu standing pole: L2300xW90xH90x1.0MM(4PCS)
 Alu horizontal pole:
 A.2950x75x30x0.8mm(3pcs) w/ rail
 B.2950x60x30x0.8mm(2pcs) w/o rail
 Fabric tube: 2545xØ19x0.7mm
 Fabric: White,180g/m² polyester
 Rope and pulley retractable system
 Ground base for fixing 4 standing poles



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
295x295	1	298	20	20	22.5	25	121	484	528
395x395	1	398	20	20	24	27	121	363	396



GRAPE TRELLISE

SP5023

Standing pole: L2300xW90xH90x1.0MM(2pcs)
 Horizontal pole: A.2950x75x30x0.8mm(3pcs) w/rail
 B.3950x60x30x0.8mm(1pc) w/o rail
 Fabric tube: 3545xØ19x0.7mm
 Fabric: White,180g/m² polyester, PU coating
 Frame: aluminum, grey color powder coated
 Hand control



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
395X295	1	397	19.5	16	18.5	21	138	414	459
395x295		297	19.5	16	17.0	19.0	138	572	660






DOOR CANOPY

SP6001

Width 0.6M: Nylon frame: 600x200x55mm
 Width 0.8M: Nylon frame: 800x240x55mm
 Width 0.8M: Nylon frame: 1000x300x55mm
 Front bar: 32x14mm
 Back bar: 43.7x11.8mm
 Clear polycarbon solid slab 3mm



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
80x60	1	78	58	9.5	3.5	4.5	960	1992	2240
100x60	1	98	58	9.5	4	5	750	1600	1800
120x60	1	118	58	9.5	4.5	5.5	564	1224	1426
80x80	1	78	78	9.5	6	7.5	644	1288	1624
100x80	1	98	78	9.5	6.2	8	544	1132	1306
120x80	1	118	78	9.5	6.5	8.5	428	912	1060
80x100	1	78	98	9.5	8	9.5	560	1160	1288
100x100	1	98	98	9.5	9	10.5	400	880	1012
120x100	1	118	98	9.5	10	11.5	352	772	860

DOOR CANOPY

SP6002

Material: galvanized steel bracket 3mm thickness,
 Polycarbonate cover sheet;
 Stainless steel screws and nuts.
 Finish: Natural, clear



DOOR CANOPY

SP6003

Fabric: 280g/m² polyester
 Steel torsion bar: 35x35 mm
 Alu roller: dia.60 mm
 Alu front bar type A: 46x30 mm
 Alu arm type A: 51x27/45x23 mm
 Steel hand crank: 160cm




Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
125x910	1	127	90	8	8	10.3	260	572	638
135x910	1	137	90	8	8.6	11	260	546	609

Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)		
		L	W	H	NW	GW	20'	40'	40'HQ
195x150	1	197	18	16	14	16	490	1014	1152
250x200	1	252	18	16	15.5	17.5	364	750	895
295x250	1	297	18	16	18	20.5	195	740	830
350x200	1	352	18	16	20	22.5	195	558	645
350x250	1	352	18	16	22	24.5	195	558	645
350x3	1	352	18	16	25	27.5	195	558	645
395x2.5	1	397	18	16	23	26	195	558	645
395x3	1	397	18	16	26	29	195	558	645



PATIO COVER

SP8100



PATIO COVER

SP8101

Dimension: L300xW300xH270~300cm,
 Alu standing pole: 90x90xT1.5mm,
 Top support tube: 90x90xT1mm,
 Front / back beam: 105x90xT1.2mm,
 Cover: polycarbon hollow slabs.



Size	Packing (PC)	Carton Size(CM)			Weight (KG)		Loading(PC)	
		L	W	H	NW	GW	40'	40'HQ
245x250x285	packing box 1	2500	640	100	25.2kg	30KG	184	208
	packing box 2	2500	450	110	16.4kg	21.2KG		
305x300x285	packing box 1	3000	640	110	27.1kg	33KG	126	144
	packing box 2	3000	450	110	24.1kg	30KG		



SPD-001



SPD-002



SPD-003



SPD-004



SPD-005



SPD-006



SPD-008



SPD-009



SPD-011



SPD-013



SPD-014



SPD-015



SPD-016



SPD-017



SPD-019



SPD-020



SPD-021



SPD-022



SPD-023




SPD-024



SPD-025



SPD-026



SPD-027



SPD-028



SPD-029



SPD-030



SPD-031



SPD-032



SPD-033



SPD-034



SPD-047



SPD-048



SPD-035




SPD-036




SPD-049



SPD-050



SPD-037



SPD-038



SPD-051



SPD-052



SPD-039



SPD-040



SPD-053



SPD-054



SPD-041



SPD-042



SPD-056




SPD-057



SPD-043



SPD-044



SPD-060



SPD-061



SPD-045



SPD-046



SPD-062




SPD-063



SPD-065



SPD-066



SPD-067



SPD-068




SPD-069



SPD-070




SPD-071



SPD-072



SPD-073



SPD-074



SPD-077



SPD-078



SPD-079



SPD-080

SPP001



SPP002



SPP003



SPP004



SPP005



SPP006



SPP007




SPP008



SPP009







SPP050



SPP051



SPP052



SPP053



SPP054



SPP055



SPP056



SPP057



SPP058



SPP059



SPP060



SPP061



SPP062



SPP063



SPP064



SPP065



SPP066



SPP067



SPP068



SPP069



SPP070

▲NO.01



▲OPEN



▲CLOSE



▲ENDING OF CARTON

▲NO.02



▲OPEN



▲CLOSE



▲ENDING OF CARTON

▲NO.03



▲OPEN



▲CLOSE



▲ENDING OF CARTON


▲NO.04



▲OPEN



▲CLOSE



▲ENDING OF CARTON

▲NO.05



▲NO.06



▲NO.07

